

Nominal Diameter Inch/Pul.	Outer Diameter Inch/Pul.	Outer Diameter mm	Des.	Schedule	Thickness/ Especor Inch/Pul.	Thickness/ Especor mm	Lb/ft Libra/pie	Kg/mtr
1/8	0.405	10.30	STD	40	0.068	1.70	0.24	0.357
			XS	80	0.095	2.40	0.31	0.461
1/4	0.540	13.70	STD	40	0.088	2.20	0.42	0.625
			XS	80	0.119	3.00	0.54	0.804
3/8	0.675	17.10	STD	40	0.091	2.30	0.57	0.85
			XS	80	0.126	3.20	0.74	1.10
1/2	0.840	21.30	STD	40s	0.109	2.80	0.85	1.26
			XS	80	0.145	3.70	1.09	1.62
			XXS	160	0.294	7.50	1.71	2.54
				160	0.188	4.80	1.31	1.95
3/4	1.050	26.70		10	0.083	2.11	0.86	1.28
			STD	40	0.113	2.87	1.13	1.69
			XS	80	0.154	3.91	1.47	2.20
				160	0.218	5.53	1.94	2.89
1	1.315	33.40	XXS	160	0.308	7.82	2.44	3.64
				5	0.065	1.65	0.87	1.29
				10	0.109	2.77	1.41	2.09
			STD	40	0.133	3.38	1.68	2.50
1 1/4	1.660	42.20	XS	80	0.179	4.54	2.17	3.24
				160	0.250	6.35	2.84	4.24
			XXS	160	0.358	9.09	3.66	5.45
				5	0.065	1.65	1.10	1.65
1 1/2	1.900	48.30		10	0.109	2.77	1.41	2.09
			STD	40	0.145	3.68	1.68	2.50
			XS	80	0.179	4.54	2.17	3.24
				160	0.250	6.35	2.84	4.24
2	2.375	60.30	XXS	160	0.358	9.09	3.66	5.45
				5	0.065	1.65	1.10	1.65
				10	0.109	2.77	1.41	2.09
			STD	40	0.145	3.68	1.68	2.50
2 1/2	2.875	73.00	XS	80	0.200	5.08	3.63	5.41
				160	0.281	7.14	4.86	7.24
			XXS	160	0.400	10.16	6.41	9.55
				5	0.065	1.65	1.10	1.65
3	3.500	88.90		10	0.120	3.05	4.34	6.45
			STD	40	0.161	4.08	5.53	8.18
			XS	80	0.200	5.08	6.83	10.20
				160	0.281	7.14	8.86	13.06
3 1/2	4.000	101.60	XXS	160	0.344	8.74	7.46	11.12
				5	0.065	1.65	1.10	1.65
				10	0.109	2.77	1.41	2.09
			STD	40	0.145	3.68	1.68	2.50
4	4.500	114.30	XS	80	0.218	5.54	5.03	7.48
				160	0.344	8.74	7.46	11.12
			XXS	160	0.436	11.07	9.03	13.45
				5	0.065	1.65	1.10	1.65
5	5.563	141.30		10	0.120	3.05	4.34	6.45
			STD	40	0.161	4.08	5.53	8.18
			XS	80	0.200	5.08	6.83	10.20
				160	0.281	7.14	8.86	13.06
6	6.625	168.30	XXS	160	0.331	8.46	7.35	10.84
				5	0.065	1.65	1.10	1.65
				10	0.109	2.77	1.41	2.09
			STD	40	0.145	3.68	1.68	2.50
8	8.625	219.10	XS	80	0.226	5.74	5.11	7.48
				160	0.344	8.74	7.46	11.12
			XXS	160	0.436	11.07	9.03	13.45
				5	0.065	1.65	1.10	1.65

Nominal Diameter Inch/Pul.	Outer Diameter Inch/Pul.	Outer Diameter mm	Des.	Schedule	Thickness/ Especor Inch/Pul.	Thickness/ Especor mm	Lb/ft Libra/pie	Kg/mtr
10	10.750	273.00		5s	0.134	3.41	15.21	22.63
				10s	0.165	4.19	18.67	22.786
				20	0.250	6.35	28.06	41.76
				30	0.307	7.80	34.27	51.01
			STD	40	0.365	9.27	40.50	60.61
			XS	60	0.500	12.70	54.79	81.54
12	12.750	323.80		80	0.594	15.09	64.40	95.98
				100	0.719	18.26	77.10	114.74
				120	0.844	21.44	89.30	133.01
			XXS	140	1.000	25.40	104.10	155.12
				160	1.125	28.58	115.76	172.27
				5s	0.156	3.96	21.01	31.25
14	14.000	355.60		10s	0.180	4.57	24.187	35.99
				20	0.250	6.35	33.40	49.72
				30	0.330	8.38	43.80	65.21
			STD	40	0.375	9.53	49.60	73.83
				40	0.406	10.31	53.50	79.73
			XS	60	0.500	12.70	65.40	97.45
16	16.000	406.40		80	0.562	14.27	73.22	109.00
				80	0.688	17.48	88.71	132.03
				100	0.844	21.44	107.42	160.00
			XXS	120	1.000	25.40	125.61	186.94
				140	1.125	28.58	140.00	208.07
				160	1.312	33.32	160.42	238.75
18	18.000	457.20		5s	0.155	3.96	23.41	34.87
				10s	0.188	4.77	27.75	41.311
				10	0.250	6.35	36.70	54.70
				20	0.312	7.92	45.60	67.94
			STD	30	0.375	9.53	54.60	81.29
				40	0.438	11.13	63.50	94.50
20	20.000	508.00	XS	60	0.500	12.70	72.16	107.41
				60	0.594	15.09	85.13	126.69
				80	0.750	19.05	106.23	158.10
				100	0.938	23.83	131.00	195.00
				120	1.094	27.80	151.00	224.63
				140	1.250	31.75	170.40	253.56
22	22.000	558.80		160	1.406	35.71	189.30	281.71
				5s	0.164	4.19	28.33	42.20
				10s	0.188	4.77	31.77	47.29
				10	0.250	6.35	42.10	62.64
				20	0.312	7.93	52.32	77.87
			STD	30	0.375	9.53	62.64	93.22
24	24.000	609.60	XS	40	0.500	12.70	82.85	123.30
				60	0.656	16.66	107.60	160.14
				80	0.844	21.44	137.00	203.51
				100	1.031	26.19	165.00	245.53
				120	1.219	30.96	192.70	286.65
				140	1.438	36.53	224.00	333.15